

AMENDMENTS TO THE CLAIMS:

Replace the claims with the following rewritten listing:

1. (Currently Amended) A door comprising
two jambs-(2), a transverse box-(3) joining the top ends of the two jambs, and a curtain-(10) moveable between a closed position in which it closes ~~the~~an opening formed by the jambs-(2) and box-(3) and an open position in which it is folded up under the box (3), ~~the said door being characterized in that it comprises a curtain (10) consisting of~~
wherein the curtain comprises two parallel screens-(11a, 11b) that define an air cushion and that are suspended from ~~the~~a top region of the jambs,
the curtain-(10) further comprising: at least one lifting strap-(20) connecting ~~the~~a bottom part of the curtain-(10) to a shaft-(21) mounted in or in ~~the~~a region of the box-(3), and at least one transverse stiffening means fitted to each of the screens (11a, 11b), ~~the~~ side edges of each screen (11a, 11b)-lying against the jambs to form an airtight lateral surface contact.
2. (Currently Amended) The door as claimed in claim 1, ~~characterized in that~~wherein there is formed in each screen-(11a, 11b) a sheath-(15) in which a stiffening means is engaged.
3. (Currently Amended) The door as claimed in claim 2, ~~characterized in that~~wherein the sheaths-(15) of each of the screens-(11a, 11b) are opposite each other.
4. (Currently Amended) The door as claimed in claim 3, ~~characterized in that~~wherein at least one pair of two stiffening bars-(16), engaged in two mutually opposite sheaths-(15), are connected by at least one spacer-(18).
5. (Currently Amended) The door as claimed in claim 4, ~~characterized in that~~wherein the spacer (18)-has an opening (21)-for the lifting strap (20)-to pass through.

6. (Currently Amended) The door as claimed in claim 4 ~~or claim 5~~, characterized in ~~that~~wherein at least two pairs of stiffening bars (16) with spacers alternate with at least one pair of stiffening bars (16) without spacers, in such a way that, when the curtain is in the raised position, alternate folds form symmetrically about ~~the~~a plane in which the door opens.

7. (Currently Amended) The door as claimed in ~~one of claims 1-6~~, characterized in ~~that~~wherein the bottom part of the curtain formed by the connecting fold between the two screens (11a, 11b) contains a flexible component ~~consisting of~~comprising a flexible sleeve enclosing a flexible material.

8. (Currently Amended) The door as claimed in claim 7, characterized in ~~that~~wherein the flexible component ~~consists of~~comprises a flexible bar (22) comprising a spring in a foam sleeve.

9. (Currently Amended) The door as claimed in ~~one of claims 4-8~~, characterized in ~~that~~wherein the ends of each stiffening bar (16) are fitted with guide components for guiding them relative to each of the jambs.

10. (Currently Amended) The door as claimed in ~~one of claims 4-9~~, characterized in ~~that~~wherein the stiffening bars (16) have ~~the~~ flexibility to absorb an abnormal exiting impact, to come free or to come away from ~~the~~ tracks without suffering permanent deformation.

11. (Currently Amended) The door as claimed in ~~one of claims 8-10~~, characterized in ~~that~~wherein the flexible bar (22) held in the connecting fold of the two screens, ~~the~~a lower pair of bars (16) with spacers and ~~the~~a succeeding pair of bars (16) without spacers are at distances such that, when the curtain is in the raised position, the flexible bar (22) projects beyond ~~the~~ folds formed by each folded screen.

12. (Currently Amended) The door as claimed in ~~one of claims 1-11~~, ~~characterized in that~~wherein each screen (11a, 11b) is a multilayer complex.

13. (Currently Amended) The door as claimed in ~~one of claims 1-12~~, ~~characterized in that~~wherein each screen ~~(11a, 11b)~~ has, at ~~the~~a same height, at least one transverse panel ~~(12)~~ made of a transparent material.

14. (Currently Amended) The door as claimed in ~~one of claims 1-5 or 7-12~~11, ~~characterized in that~~wherein between two pairs of bars with spacers, each screen (11a, 11b) is provided with at least one shape memory folding means capable of forming an outward fold in the curtain when the curtain is in the folded position.

15. (Currently Amended) The door as claimed in ~~one of claims 1-14~~, ~~characterized in that~~wherein the curtain (10) is made from a single component of flexible material and then folded on itself to form two screens.

16. (Currently Amended) The door as claimed in ~~one of claims 2-14~~, ~~characterized in that~~wherein each screen (11a, 11b) comprises at least two transverse panels of flexible material connected by a sheath.

17. (Currently Amended) The door as claimed in ~~one of claims 1-19~~16, ~~characterized in that~~wherein ~~the~~ ends of each stiffening bar ~~(16)~~ of a pair of bars without spacers are fitted with a guide endpiece (28) which has a flat part ~~(31)~~ oriented in ~~the~~a plane of the screen in which the bar is located.

18. (Currently Amended) The door as claimed in ~~one of claims 9-17~~, ~~characterized in that~~wherein a spacer (33) connects ~~the~~ ends of a pair of bars ~~(16)~~ and carries a roller ~~(32)~~ engageable between two tracks ~~(24)~~ and ~~(25)~~ which are formed in each of the vertical jambs ~~(2)~~.

19. (Currently Amended) The door as claimed in claim 18, ~~characterized in that~~wherein filler endpieces (34) are engaged on the end of each of the bars (16).

20. (Currently Amended) The door as claimed in claim 1 ~~or claim 2, characterized in that~~wherein a cable is engaged in at least one sheath (15) whose ends are guided relative to the vertical jambs.